



**Search Results**

Results for "((radar and (strength or power or intensity or amplitude or maximum or maximums or maxima))<in>..." Your search matched 7304 of 1848745 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

Home | Login | Logout | Access Information | Alerts | Purchase History | Cart | Search | Help


BROWSE
SEARCH
MY EXPLORE RECORDS
SUPPORT

Modify Search

Check to search only within this results set
 Citation
 Citation & Abstract

IEEE/ET
Books
Educational Courses
Application Notes [Beta]

**IEEE/ET journals, transactions, letters, magazines, conference proceedings, and standards.**

 view selected items
Select All
Deselect All
View: 1-25 | 26-50 | 51-75 | 76-100

**1. An approach to radiated testing of installed airborne Doppler radar with weather/windshear detection capability**  
 Michaels, J. F.;  
[Aerospace and Electronic Systems Magazine, IEEE](#)  
 Volume 10, Issue 12, Dec. 1995 Page(s):25  
 Digital Object Identifier 10.1109/62.480827  
[AbstractPlus](#) | Full Text: [PDF\(428 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

---

**2. The application of power electronics to airborne radar systems**  
 Fisher, F.D.;  
[Power Electronics for Demanding Applications \(Ref. No. 1999/059\), IEE Colloquium on](#)  
 15 April 1999 Page(s):5/1 - 513  
[AbstractPlus](#) | Full Text: [PDF\(436 KB\)](#) [IET CONF](#)

---

**3. Modified Rice distribution for signals with limited available power**  
 Hallbjomer, P.;  
[Antennas and Wireless Propagation Letters, IEEE](#)  
 Volume 2, Issue 1, 2003 Page(s):159 - 162  
 Digital Object Identifier 10.1109/LAWP.2003.819044  
[AbstractPlus](#) | Full Text: [PDF\(269 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

---

**4. A low-cost imaging radar: DRIVE on board ONERA motorglider**  
 Nouvel, J.F.; Roques, S.; du Plessis, O.R.;  
[Geoscience and Remote Sensing Symposium, 2007. IGARSS 2007. IEEE International](#)  
 23-28 July 2007 Page(s):5306 - 5309  
 Digital Object Identifier 10.1109/IGARSS.2007.4424060  
[AbstractPlus](#) | Full Text: [PDF\(829 KB\)](#) [IEEE CONF](#)  
[Rights and Permissions](#)

[http://ieeexplore.ieee.org/search/searchresult.jsp?query...maxdoc=100&ResultCount=25&SortField=Score&SortOrder=desc \(1 of 5\)8/5/08 10:22:23 AM](http://ieeexplore.ieee.org/search/searchresult.jsp?query...maxdoc=100&ResultCount=25&SortField=Score&SortOrder=desc (1 of 5)8/5/08 10:22:23 AM)

- 5. An algorithm or the neural fusion of IRST & radar for airborne target detection**  
 Singh, J.P.;  
Computational Advances in Multi-Sensor Adaptive Processing, 2005 1st IEEE International Workshop on  
 13-15 Dec. 2005 Page(s):44 - 47  
 Digital Object Identifier 10.1109/CAMAP.2005.1574179  
[AbstractPlus](#) | Full Text: [PDF\(159 KB\)](#) [IEEE CFP](#)  
[Rights and Permissions](#)
- 
- 6. A patented approach to radiated testing of installed airborne Doppler radar with weather/windshear detection capability**  
 Michaels, J.F.;  
Aerospace and Electronics Conference, 1995 NAECON 1995, Proceedings of the IEEE 1995 National  
 Volume 1, 22-26 May 1995 Page(s):33 - 39 vol.1  
 Digital Object Identifier 10.1109/NAECON.1995.521907  
[AbstractPlus](#) | Full Text: [PDF\(440 KB\)](#) [IEEE CFP](#)  
[Rights and Permissions](#)
- 
- 7. Terrain analysis using radar shape-from-shading**  
 Bors, A.G.; Hancock, E.R.; Wilson, R.C.;  
Pattern Analysis and Machine Intelligence, IEEE Transactions on  
 Volume 25, Issue 8, Aug. 2003 Page(s):974 - 992  
 Digital Object Identifier 10.1109/TPAMI.2003.1217602  
[AbstractPlus](#) | References | Full Text: [PDF\(10794 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
- 
- 8. Theoretical aspects of Bayesian approach to aperture synthesis for radar imaging**  
 Shkvarko, Yu.; Leyva-Montiel, L.;  
Antennas and Propagation Society International Symposium, 2002, IEEE  
 Volume 4, 16-21 June 2002 Page(s):322 - 325 vol.4  
 Digital Object Identifier 10.1109/APS.2002.1016988  
[AbstractPlus](#) | Full Text: [PDF\(365 KB\)](#) [IEEE CFP](#)  
[Rights and Permissions](#)
- 
- 9. Systems analysis for a cryogenic aerospace terrestrial radar power system**  
 Ramalingam, M.L.; Donovan, B.D.; Lamp, T.; Beam, J.E.;  
Energy Conversion Engineering Conference, 1996, IECEC 96, Proceedings of the 31st Intersociety  
 Volume 2, 11-16 Aug. 1996 Page(s):1361 - 1366 vol.2  
 Digital Object Identifier 10.1109/IECEC.1996.553914  
[AbstractPlus](#) | Full Text: [PDF\(600 KB\)](#) [IEEE CFP](#)  
[Rights and Permissions](#)
- 
- 10. Improved bounds on maximum size binary radar arrays**  
 Hamkins, J.; Zeger, K.;  
Information Theory, IEEE Transactions on  
 Volume 43, Issue 3, May 1997 Page(s):997 - 1000  
 Digital Object Identifier 10.1109/18.568710  
[AbstractPlus](#) | References | Full Text: [PDF\(184 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
- 
- 11. Syntactic Modeling and Signal Processing of Multifunction Radars: A Stochastic Context-Free Grammar Approach**  
 Visnevski, N.; Krishnamurthy, V.; Wang, A.; Haykin, S.;  
Proceedings of the IEEE  
 Volume 95, Issue 5, May 2007 Page(s):1000 - 1025  
 Digital Object Identifier 10.1109/JPROC.2007.893252  
[AbstractPlus](#) | Full Text: [PDF\(1294 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

- 12. Spatial diversity in radars-models and detection performance**  
 Fishler, E.; Haimovich, A.; Blum, R.S.; Cimini, L.J., Jr.; Chizhik, D.; Valenzuela, R.A.;  
Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing, IEEE Transactions on]  
 Volume 54, Issue 3, March 2006 Page(s):823 - 838  
 Digital Object Identifier 10.1109/TSP.2005.862813  
[AbstractPlus](#) | Full Text: [PDF\(608 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)
- 
- 13. Pandora multifrequency FMCW/SFCW radar**  
 Jankiraman, M.; Wessels, B.J.; Van Genderen, P.;  
Radar Conference, 2000. The Record of the IEEE 2000 International  
 7-12 May 2000 Page(s):750 - 757  
 Digital Object Identifier 10.1109/RADAR.2000.851929  
[AbstractPlus](#) | Full Text: [PDF\(452 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)
- 
- 14. Computationally Efficient Angle Estimation Using Maximum Likelihood In A Digital Beam-Forming Radar**  
 Yong Liu; Wong, G.; Kennedy, W.;  
Radar Conference, 2007 IEEE  
 17-20 April 2007 Page(s):337 - 342  
 Digital Object Identifier 10.1109/RADAR.2007.374238  
[AbstractPlus](#) | Full Text: [PDF\(1362 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)
- 
- 15. Radar backscattering measurements of artificial rain impinging on a water surface at different wind speeds**  
 Braun, N.; Gade, M.; Lange, P.A.;  
Geoscience and Remote Sensing Symposium, 1999. IGARSS '99 Proceedings. IEEE 1999 International  
 Volume 1, 28 June-2 July 1999 Page(s):200 - 202 vol.1  
 Digital Object Identifier 10.1109/IGARSS.1999.773446  
[AbstractPlus](#) | Full Text: [PDF\(248 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)
- 
- 16. Design aspects of compact high power multiport unequal power dividers**  
 Christopher, S.; Abid Hussain, V.A.; Easwaran, M.S.; Dabade, V.N.;  
Phased Array Systems and Technology, 1996. IEEE International Symposium on  
 15-18 Oct. 1996 Page(s):63 - 67  
 Digital Object Identifier 10.1109/PAST.1996.565936  
[AbstractPlus](#) | Full Text: [PDF\(360 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)
- 
- 17. Clutter suppression using amplitude weighted waveforms**  
 Gregers-Hansen, V.;  
Radar '97 (Conf. Publ. No. 449)  
 14-16 Oct. 1997 Page(s):797 - 801  
[AbstractPlus](#) | Full Text: [PDF\(436 KB\)](#) [IEEE Xplore](#)
- 
- 18. MF/HF/VHF Radar Observations of Polar Mesosphere Summer Echoes (PMSE)**  
 Ramos, C.; Kelley, M.C.; Djuth, F.; Groves, K.; Murayama, Y.;  
Radar Conference, 2007 IEEE  
 17-20 April 2007 Page(s):1029 - 1033  
 Digital Object Identifier 10.1109/RADAR.2007.374402  
[AbstractPlus](#) | Full Text: [PDF\(6023 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)
-

- 19. Tracking the mode of operation of multi-function radars**  
 Arasaratnam, I.; Haykin, S.; Thiagalingam Kirubarajan; Dilkes, F.A.;  
Radar, 2006 IEEE Conference on  
 24-27 April 2006 Page(s):6 pp.  
 Digital Object Identifier 10.1109/RADAR.2006.1631804  
[AbstractPlus](#) | Full Text: [PDF\(218 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)
- 
- 20. Maximum likelihood estimator approach to determine the target angular co-ordinates in presence of main beam interference: application to live data acquired with a microwave phased array radar**  
 Farina, A.; Golino, G.; Tlmonneri, L.;  
Radar Conference, 2005 IEEE International  
 9-12 May 2005 Page(s):61 - 66  
 Digital Object Identifier 10.1109/RADAR.2005.1435794  
[AbstractPlus](#) | Full Text: [PDF\(325 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)
- 
- 21. High power and high efficiency 30 W compact S-band HBT power chips with gold or diamond heat spreaders**  
 Plotrowicz, S.; Chartier, E.; Jacquet, J.C.; Floriot, D.; Coupat, J.M.; Framery, C.; Eudeline, P.; Auxemery, P.;  
Microwave Symposium Digest, 2004 IEEE MTT-S International  
 Volume 3, 6-11 June 2004 Page(s):1527 - 1530 Vol.3  
 Digital Object Identifier 10.1109/MWSYM.2004.1338868  
[AbstractPlus](#) | Full Text: [PDF\(521 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)
- 
- 22. Asymptotic maximum likelihood estimation of multiple radar targets**  
 Gini, F.; Greco, M.; Farina, A.; Gubinelli, M.;  
Radar Conference, 2003. Proceedings of the 2003 IEEE  
 5-8 May 2003 Page(s):302 - 309  
 Digital Object Identifier 10.1109/NRC.2003.1203418  
[AbstractPlus](#) | Full Text: [PDF\(451 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)
- 
- 23. A Gibbs sampling approach to maximum a posteriori time delay and amplitude estimation**  
 Michalopoulou, Z.-H.; Picarelli, M.;  
Acoustics, Speech, and Signal Processing, 2002. Proceedings. (ICASSP '02). IEEE International Conference on  
 Volume 3, 13-17 May 2002 Page(s):III-3001 - III-3004 vol.3  
 Digital Object Identifier 10.1109/ICASSP.2002.1005318  
[AbstractPlus](#) | Full Text: [PDF\(412 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)
- 
- 24. Novel method of decreasing influence of phase noise on FMCW radar**  
 Kulpa, K.S.;  
Radar, 2001 CiE International Conference on. Proceedings  
 15-18 Oct. 2001 Page(s):319 - 323  
 Digital Object Identifier 10.1109/ICR.2001.984682  
[AbstractPlus](#) | Full Text: [PDF\(511 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)
- 
- 25. Signal Interpretation of Multifunction Radars: Modeling and Statistical Signal Processing With Stochastic Context Free Grammar**  
 Wang, A.; Krishnamurthy, V.;  
Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing, IEEE Transactions on]  
 Volume 56, Issue 3, March 2008 Page(s):1106 - 1119  
 Digital Object Identifier 10.1109/TSP.2007.908949  
[AbstractPlus](#) | Full Text: [PDF\(901 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)

[View: 1-25 | 26-50 | 51-75 | 76-100](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

Indexed by  
 Inspec®

© Copyright 2008 IEEE .. All Rights Reserved

Home | Login | Logout | Access Information | Alerts | Purchase History | Cart | Search | Help

**Welcome United States Patent and Trademark Office**

 IEEE

**Search Results**

Results for "((radar and (strength or power or intensity or amplitude or maximum or maximums or maxima) and trian...")

Your search matched 6 of 1848745 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

**New [Beta]**  
**Application Notes**  


[View Session History](#)  
[New Search](#)

**IEEE JNL**  
 IEEE JNL IEEE Journal or Magazine  
**IET JNL**  
 IET JNL IET Journal or Magazine  
**IEEE CNF**  
 IEEE CNF IEEE Conference Proceeding  
**IET CNF**  
 IET CNF IET Conference Proceeding  
**IEEE STD**  
 IEEE STD IEEE Standard

**BROWSE**      **SEARCH**      **IEEE EXPOR SOURCE**      **SUPPORT**

**Modify Search:**

Check to search only within this results set

Display Format:  Citation  Citation & Abstract

**IEEE/IET**      **BOOKS**      **Educational Courses**      **Application Notes [Beta]**

**IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.**

[view selected items](#) [Select All](#) [Deselect All](#)

---

**1. Wingtip generated wake vortices as radar target**  
 Marshall, R.E.; Myers, T.J.;  
*Aerospace and Electronic Systems Magazine, IEEE*  
 Volume 11, Issue 12, Dec. 1996 Page(s):27 - 30  
 Digital Object Identifier 10.1109/62.544796  
[AbstractPlus](#) | Full Text: [PDF\(596 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

---

**2. Wingtip generated wake vortices as radar targets**  
 Marshall, R.E.; Myers, T.J.;  
*Radar Conference, 1996.. Proceedings of the 1996 IEEE National*  
 13-16 May 1996 Page(s):184 - 189  
 Digital Object Identifier 10.1109/NRC.1996.510678  
[AbstractPlus](#) | Full Text: [PDF\(508 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

---

**3. FMCW linearizer bandwidth requirements**  
 Piper, S.O.;  
*Radar Conference, 1991.. Proceedings of the 1991 IEEE National*  
 12-13 March 1991 Page(s):142 - 146  
 Digital Object Identifier 10.1109/NRC.1991.114747  
[AbstractPlus](#) | Full Text: [PDF\(296 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

---

**4. Synthetic-Aperture Radar Based on Nonsinusoidal Functions: IX ¿Array Beam Forming**  
 Harmuth, H.F.;  
*Electromagnetic Compatibility, IEEE Transactions on*  
 Volume EMC-23, Issue 1, Feb. 1981 Page(s):20 - 27  
 Digital Object Identifier 10.1109/TEMC.1981.303916  
[AbstractPlus](#) | Full Text: [PDF\(1585 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

5. Decision Fusion of Ground-Penetrating Radar and Metal Detector Algorithms—A Robust Approach

Liao, Y.; Nolte, L. W.; Collins, L. M.;  
*Geoscience and Remote Sensing, IEEE Transactions on*  
Volume 45, Issue 2, Feb. 2007 Page(s):398 - 409  
Digital Object Identifier 10.1109/TGRS.2006.888096  
[AbstractPlus](#) | Full Text: [PDF\(402 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)

 6. Optimal receive polarization based on the pol-ellipse parameters

Yang, Y.F.; Tao, R.; Deng, B.; Du, Z.C.; Shan, T.;  
*Signal Processing, 2004. Proceedings. ICSP '04. 2004 7th International Conference on*  
Volume 3, 31 Aug.-4 Sept. 2004 Page(s):2009 - 2012 vol.3  
Digital Object Identifier 10.1109/ICOSP.2004.1442168  
[AbstractPlus](#) | Full Text: [PDF\(158 KB\)](#) [IEEE Xplore](#)  
[Rights and Permissions](#)

Home | Login | Logout | Access Information | Alerts | Purchase History | Cart | Search | Help

**Welcome United States Patent and Trademark Office**

**BROWSE**    **SEARCH**    **REFINE YOUR SEARCH**    **SUPPORT**

Search Results

Results for "((radar and (strength or power or intensity or amplitude or maximum or maximums or maxima) and (vert..."))

Your search matched 2 of 1851841 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

New [Beta]  
**Application Notes**  
View Session History  
New Search

IEEE JNL IET JNL IEEE CNF IET CNF IEEE STD

**Modify Search**

((radar and (strength or power or intensity or amplitude or maximum or maximums or maxima) and (vert..."))

Check to search only within this results set

Display Format:  Citation  Citation & Abstract

IEEE/IEET BOOKS Educational Courses Application Notes [Beta]

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

view selected items

1. A stochastic stereo matching technique based on beta-splines  
Singh, K.; Kwok, L.K.; Lim, H.;  
[Geoscience and Remote Sensing Symposium Proceedings, 1998. IGARSS '98. 1998 IEEE International Volume 5, 6-10 July 1998](#) Page(s):2354 - 2356 vol.5  
Digital Object Identifier 10.1109/IGARSS.1998.702211  
[AbstractPlus](#) | Full Text: [PDF\(352 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

2. Phase adjustment of large antennas  
Swarup, G.; Yang, K.;  
[Antennas and Propagation, IRE Transactions on Volume 9, Issue 1, January 1961](#) Page(s):75 - 81  
Digital Object Identifier 10.1109/TAP.1961.1144953  
[AbstractPlus](#) | Full Text: [PDF\(778 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

Home | Login | Logout | Access Information | Alerts | Purchase History | Cart | SiteMap | Help

Welcome United States Patent and Trademark Office

IEEE Xplore®  
RESEARCH

Search Session History

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Tue, 5 Aug 2008, 10:25:52 AM EST

Search Query Display

Recent Search Queries Results

#1	((radar and (strength or power or intensity or amplitude or maximum or maximums or maxima))<in>metadata)	7304
#2	((radar and (strength or power or intensity or amplitude or maximum or maximums or maxima) and triangle)<in>metadata)	6
#3	((radar and (strength or power or intensity or amplitude or maximum or maximums or maxima) and (vertex or vertexes or vertices))<in>metadata)	2

Help Contact Us Privacy & Security IEEE.org

© Copyright 2008 IEEE -- All Rights Reserved

Indexed by  
 Inspec®

Home | Login | Logout | Access Information | Alerts | Purchase History | Cart | Search | Help

Welcome United States Patent and Trademark Office

 IEEE

Search Results
BROWSE
SEARCH
MY EXPLORE RECORDS
SUPPORT

e-mail
Printer Friendly

New [Beta]
Application Notes
GLOBALSPEC

Session Student
View Session History
New Search

IEEE JNL
IEEE Journal or Magazine

IET JNL
IET Journal or Magazine

IEEE CNF
IEEE Conference Proceeding

IET CNF
IET Conference Proceeding

IEEE STD
IEEE Standard

IEEE/NET
BOOKS
Educational Courses
Application Notes [Beta]

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

view selected items
Select All
Deselect All

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2003 IEEE ... All Rights Reserved

Induced by 